

Comprehensive Assessment of the Frail Older Adult (HEA9031M)

[View Online](#)

This module aims to deliver the evidence base surrounding comprehensive geriatric assessment (CGA) and provides the student with the knowledge and skills required to develop care and support plans to ensure that person-centred care is central to the CGA principles

[1]

Acute care toolkit 3: acute medical care for frail older people | Royal College of Physicians: <https://www.rcplondon.ac.uk/resources/acute-care-toolkit-3-acute-medical-care-frail-older-people>.

[2]

Age and Ageing Virtual Issue: Frailty: http://www.oxfordjournals.org/our_journals/ageing/frailty_virtual_issue.html.

[3]

Byatt, K. 2014. Overenthusiastic stroke risk factor modification in the over-80s: Are we being disingenuous to ourselves, and to our oldest patients? *Evidence-Based Medicine*. 19, 4 (Aug. 2014), 121-122. DOI:<https://doi.org/10.1136/eb-2013-101646>.

[4]

Ellis, G. et al. 2011. Comprehensive geriatric assessment for older adults admitted to hospital: meta-analysis of randomised controlled trials. *BMJ: British Medical Journal / British Medical Association*. 343, 7832 (2011).

[5]

Fit for Frailty: <http://www.bgs.org.uk/index.php/fit-for-frailty>.

[6]

Gallagher, P. et al. 2008. STOPP (Screening Tool of Older Persons Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation. *Int. Journal of Clinical Pharmacology and Therapeutics*. 46, 02 (Feb. 2008), 72–83.
DOI:<https://doi.org/10.5414/CPP46072>.

[7]

Living well in care homes | BAOT/COT: <https://www.cot.co.uk/living-well-care-homes>.

[8]

Nolan, M. et al. 2006. The Senses Framework: improving care for older people through a relationship-centred approach. *Getting Research into Practice (GRiP) Report No 2*. University of Sheffield.

[9]

O'Mahony, D. et al. 2015. STOPP/START criteria for potentially inappropriate prescribing in older people: version 2. *Age and Ageing*. 44, 2 (Mar. 2015), 213–218.
DOI:<https://doi.org/10.1093/ageing/afu145>.

[10]

Our e-learning courses: <http://www.nsahealth.org.uk/e-learning/courses-we-offer>.

[11]

Redfern, S.J. and Ross, F. 2006. *Nursing older people*. Elsevier Churchill Livingstone.

[12]

Silver Book - Health and Social Care Services Must Adapt to Meet Older People's Urgent Care Needs: <http://www.bgs.org.uk/index.php/bgscampaigns-715/silverbook>.

[13]

STOPP/START Toolkit: Supporting Medication Review — NHS Networks:
<https://www.networks.nhs.uk/nhs-networks/nhs-cumbria-ccg/medicines-management/guidelines-and-other-publications/Stop%20start%20pdf%20final%20Feb%202013%20version.pdf/view>.

[14]

Stuck, A. and Iliffe, S. 2011. Comprehensive geriatric assessment for older adults: Should be standard practice, according to a wealth of evidence. *BMJ: British Medical Journal*. 343, 7832 (2011), 1029–1030.

[15]

Turner, G. and Clegg, A. 2014. Best practice guidelines for the management of frailty: a British Geriatrics Society, Age UK and Royal College of General Practitioners report. *Age and Ageing*. 43, 6 (Nov. 2014), 744–747. DOI:<https://doi.org/10.1093/ageing/afu138>.

[16]

Welsh, T.J. et al. 2014. Comprehensive geriatric assessment - a guide for the non-specialist. *International Journal of Clinical Practice*. 68, 3 (2014), 290–293. DOI:<https://doi.org/10.1111/ijcp.12313>.