

Comprehensive Assessment of the Frail Older Adult (HEA9031M)

View Online



This module aims to deliver the evidence base surrounding comprehensive geriatric assessment (CGA) and provides the student with the knowledge and skills required to develop care and support plans to ensure that person-centred care is central to the CGA principles

1.

Fit for Frailty, <http://www.bgs.org.uk/index.php/fit-for-frailty>.

2.

Silver Book - Health and Social Care Services Must Adapt to Meet Older People's Urgent Care Needs, <http://www.bgs.org.uk/index.php/bgscampaigns-715/silverbook>.

3.

Redfern, S.J., Ross, F.: Nursing older people. Elsevier Churchill Livingstone, Edinburgh (2006).

4.

Ellis, G., Whitehead, M., Robinson, D., O'Neill, D., Langhorne, P.: Comprehensive geriatric assessment for older adults admitted to hospital: meta-analysis of randomised controlled trials. *BMJ: British Medical Journal / British Medical Association*. 343, (2011).

5.

Stuck, A., Iliffe, S.: Comprehensive geriatric assessment for older adults: Should be standard practice, according to a wealth of evidence. *BMJ: British Medical Journal*. 343, 1029-1030 (2011).

6.

Welsh, T.J., Gordon, A.L., Gladman, J.R.: Comprehensive geriatric assessment - a guide for the non-specialist. *International Journal of Clinical Practice*. 68, 290–293 (2014). <https://doi.org/10.1111/ijcp.12313>.

7.

Turner, G., Clegg, A.: Best practice guidelines for the management of frailty: a British Geriatrics Society, Age UK and Royal College of General Practitioners report. *Age and Ageing*. 43, 744–747 (2014). <https://doi.org/10.1093/ageing/afu138>.

8.

Age and Ageing Virtual Issue: Frailty,
http://www.oxfordjournals.org/our_journals/ageing/frailty_virtual_issue.html.

9.

Our e-learning courses, <http://www.nsahealth.org.uk/e-learning/courses-we-offer>.

10.

Byatt, K.: Overenthusiastic stroke risk factor modification in the over-80s: Are we being disingenuous to ourselves, and to our oldest patients? *Evidence-Based Medicine*. 19, 121–122 (2014). <https://doi.org/10.1136/eb-2013-101646>.

11.

Acute care toolkit 3: acute medical care for frail older people | Royal College of Physicians, <https://www.rcplondon.ac.uk/resources/acute-care-toolkit-3-acute-medical-care-frail-older-people>.

12.

Nolan, M., Brown, J., Davies, S., Nolan, J., Keady, J.: The Senses Framework: improving care for older people through a relationship-centred approach. *Getting Research into Practice (GRiP) Report No 2.*, http://shura.shu.ac.uk/280/1/PDF_Senses_Framework_Report.pdf, (2006).

13.

O'Mahony, D., O'Sullivan, D., Byrne, S., O'Connor, M.N., Ryan, C., Gallagher, P.: STOPP/START criteria for potentially inappropriate prescribing in older people: version 2. *Age and Ageing*. 44, 213–218 (2015). <https://doi.org/10.1093/ageing/afu145>.

14.

Gallagher, P., Ryan, C., Byrne, S., Kennedy, J., O'Mahony, D.: STOPP (Screening Tool of Older Persons Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation. *Int. Journal of Clinical Pharmacology and Therapeutics*. 46, 72–83 (2008). <https://doi.org/10.5414/CP46072>.

15.

STOPP/START Toolkit: Supporting Medication Review — NHS Networks, <https://www.networks.nhs.uk/nhs-networks/nhs-cumbria-ccg/medicines-management/guidelines-and-other-publications/Stop%20start%20pdf%20final%20Feb%202013%20version.pdf/view>.

16.

Living well in care homes | BAOT/COT, <https://www.cot.co.uk/living-well-care-homes>.