

# Comprehensive Assessment of the Frail Older Adult (HEA9031M)

[View Online](#)

This module aims to deliver the evidence base surrounding comprehensive geriatric assessment (CGA) and provides the student with the knowledge and skills required to develop care and support plans to ensure that person-centred care is central to the CGA principles

---

1.

Fit for Frailty [Internet]. Available from: <http://www.bgs.org.uk/index.php/fit-for-frailty>

2.

Silver Book - Health and Social Care Services Must Adapt to Meet Older People's Urgent Care Needs [Internet]. Available from: <http://www.bgs.org.uk/index.php/bgscampaigns-715/silverbook>

3.

Redfern SJ, Ross F. Nursing older people. 4th ed. Edinburgh: Elsevier Churchill Livingstone; 2006.

4.

Ellis G, Whitehead M, Robinson D, O'Neill D, Langhorne P. Comprehensive geriatric assessment for older adults admitted to hospital: meta-analysis of randomised controlled trials. BMJ: British Medical Journal / British Medical Association. 2011;343(7832).

5.

Stuck A, Iliffe S. Comprehensive geriatric assessment for older adults: Should be standard practice, according to a wealth of evidence. BMJ: British Medical Journal. 2011;343(7832):1029-30.

6.

Welsh TJ, Gordon AL, Gladman JR. Comprehensive geriatric assessment - a guide for the non-specialist. *International Journal of Clinical Practice*. 2014;68(3):290-3.

7.

Turner G, Clegg A. Best practice guidelines for the management of frailty: a British Geriatrics Society, Age UK and Royal College of General Practitioners report. *Age and Ageing*. 2014 Nov 1;43(6):744-7.

8.

Age and Ageing Virtual Issue: Frailty [Internet]. Available from:  
[http://www.oxfordjournals.org/our\\_journals/ageing/frailty\\_virtual\\_issue.html](http://www.oxfordjournals.org/our_journals/ageing/frailty_virtual_issue.html)

9.

Our e-learning courses [Internet]. Available from:  
<http://www.nsahealth.org.uk/e-learning/courses-we-offer>

10.

Byatt K. Overenthusiastic stroke risk factor modification in the over-80s: Are we being disingenuous to ourselves, and to our oldest patients? *Evidence-Based Medicine*. 2014 Aug 1;19(4):121-2.

11.

Acute care toolkit 3: acute medical care for frail older people | Royal College of Physicians [Internet]. Available from:  
<https://www.rcplondon.ac.uk/resources/acute-care-toolkit-3-acute-medical-care-frail-older-people>

12.

Nolan M, Brown J, Davies S, Nolan J, Keady J. The Senses Framework: improving care for

older people through a relationship-centred approach. Getting Research into Practice (GRiP) Report No 2. [Internet]. University of Sheffield; 2006. Available from: [http://shura.shu.ac.uk/280/1/PDF\\_Senses\\_Framework\\_Report.pdf](http://shura.shu.ac.uk/280/1/PDF_Senses_Framework_Report.pdf)

13.

O'Mahony D, O'Sullivan D, Byrne S, O'Connor MN, Ryan C, Gallagher P. STOPP/START criteria for potentially inappropriate prescribing in older people: version 2. *Age and Ageing*. 2015 Mar 1;44(2):213–8.

14.

Gallagher P, Ryan C, Byrne S, Kennedy J, OMahony D. STOPP (Screening Tool of Older Persons Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation. *Int Journal of Clinical Pharmacology and Therapeutics*. 2008 Feb 1;46(02):72–83.

15.

STOPP/START Toolkit: Supporting Medication Review — NHS Networks [Internet]. Available from: <https://www.networks.nhs.uk/nhs-networks/nhs-cumbria-ccg/medicines-management/guidelines-and-other-publications/Stop%20start%20pdf%20final%20Feb%202013%20version.pdf/view>

16.

Living well in care homes | BAOT/COT [Internet]. Available from: <https://www.cot.co.uk/living-well-care-homes>